EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	118	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
L2	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third near4 multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
L3	71	@ad<"20030115" and (RFID (radio near2 frequency)) and (third adj waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:29
L4	14	@ad<"20030115" and RFID.bsum. and (waveform near5 cod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:30
L5	78	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near3 (represent$3 indicat$3) near3 ("2" two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:55
L6	0	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near3 any near3 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
L7	90	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01

L8	13	7 not 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:02
L9	7	@ad<"20030115" and RFID.bsum. and (any near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:04
L11	2	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:09
L12	2383	@ad<"20030115" and ((waveform cod$3) near4 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
L13	173	@ad<"20030115" and ((waveform cod$3) near4 represent$3 near4 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
L14	159	@ad<"20030115" and ((waveform cod$3) near3 (represent$3 indicat$3) near3 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
L15	0	14 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
L16	0	@ad<"20030115" and (third near (waveform cod $3) near3 (represent$3 indicat$3) near3 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13

L17	1	@ad<"20030115" and (third near (waveform cod $3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
L18	142	@ad<"20030115" and ((represent$3 indicat$3) near3 (succession near2 (one "1")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:15
L19	618	@ad<"20030115" and ((waveform cod$3) near3 (represent$3 indicat$3) near3 (succession continuous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L20	0	@ad<"20030115" and (third near2 (waveform cod$3) near3 (represent $3 indicat$3) near3 (succession continuous $4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L21	0	19 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L27	41	@ad<"20030115" and (third near2 (waveform cod$3) near5 (succession continuous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:22
L28	0	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 any near4 (meaning representation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:26
L29	32	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) near4 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:44

L30	0	@ad<"20030115" and RFID.bsum. and (succession near ("1" one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:48
L31	1	@ad<"20030115" and RFID.bsum. and (line adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:49
L32	1	("7391329").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 16:49
L33	44	("20020167405" | "20030174049" | "20050099269" | "20050099270" | "20060261952" | "20060261953" | "20060261954" | "20060261956" | "3938316" | "4454483" | "5117756" | "5438694" | "5565858" | "5583819" | "5649295" | "5649296" | "5686902" | "5701127" | "5751220" | "5867535" | "5912632" | "5940006" | "5952922" | "6023198" | "6043748" | "6046683" | "6064320" | "6127928" | "6130623" | "6243013" | "6259991" | "6356161" | "6388532" | "6404325" | "6472943" | "6639509" | "6664860" | "6784789" | "6917291" | "7026935" | "7120550" | "7253719" | "7283037" | "7304579").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
L34	32	33 and @ad<"20030115"	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
L35	8	34 and waveform	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:52

L36	299	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) same "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
L37	173	@ad<"20030115" and RFID.bsum. and ((waveform cod$3) with "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
L38	2205	@ad<"20030115" and "341"/$.ccls. and ((waveform cod$3) near7 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
L39	215	@ad<"20030115" and "341"/$.ccls. and ((waveform cod$3) near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
L40	20	@ad<"20030115" and "341"/$.ccls. and (waveform near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:59
L41	1	@ad<"20030115" and "341"/$.ccls. and (waveform near3 represent$5 near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:03
L42	12	@ad<"20030115" and "341"/$.ccls. and (waveform near5 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:04
L43	0	@ad<"20030115" and RFID.bsum. and (waveform near5 any near4 (represent$5 meaning indicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:20

S1	1	10/519858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:54
S2	26	@ad<"20030115" and (RFID and waveform).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S3	1	@ad<"20030115" and (RFID and (periodic with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S4	103	@ad<"20030115" and (RFID and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:01
S5	97	@ad<"20030115" and (RFID.bsum. and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S6	1	@ad<"20030115" and (RFID and (different with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S7	1	(US-20020152044-$).did.	US-PGPUB	OR	ON	2007/03/09 15:09
S9	1	S7 and (RFID same clock)	US-PGPUB	OR	ON	2007/03/09 15:10
S10	1	S7 and (synchroniz$5 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59
S11	0	S7 and (clock near2 information)	US-PGPUB	OR	ON	2007/03/09 15:12
S12	1	S7 and (clock with tag)	US-PGPUB	OR	ON	2007/03/09 15:13
S13	1	S7 and (receiv$3 with (clock tim$3))	US-PGPUB	OR	ON	2007/03/09 15:13
S14	1	S7 and (generat$3 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59

S15	796	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform with design$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S16	19	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform with design$3 with periodic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:04
S17	25	@ad<"20030115" and (RFID (radio near2 frequency)) and (representation with any with waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:06
S21	17	@ad<"20030115" and (RFID (radio near2 frequency)) and ((waveform near3 (one zero)) same ((cycle duty) near time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:10
S22	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near3 (one zero) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:11
S23	1	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:12
S24	91	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S25	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (((zero one) near3 design near2 any) same waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:28

S26	94	@ad<"20030115" and (RFID (radio near2 frequency)) and (design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S27	2	@ad<"20030115" and (RFID (radio near2 frequency)) and ((design near2 waveform) same any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S28	1	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:29
S29	118	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 represent$5 near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S31	4	S29 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30

7/10/2008 5:53:39 PM
C:\Documents and Settings\zlu\My Documents\EAST\Workspaces\10519858.wsp